

RESOLUTION NO. 2000-13

**A RESOLUTION AUTHORIZING THE ESTABLISHMENT
OF A "NO PARKING ZONE" ALONG THE ENTIRE LENGTH AND
BOTH SIDES OF INTERSTATE DRIVE**

WHEREAS, Union Township Trustees are empowered by Ohio Revised Code §505.17 to regulate vehicle parking in the township; and

WHEREAS, the owners of the property on Interstate Drive in Union Township have petitioned the township to prohibit commercial tractor and vehicle parking along Interstate Drive, having determined that such parking is a hazard to vehicle traffic; and

WHEREAS, Union Township Trustees agree with said property owners that a "No Parking Zone" along the entire length and both sides of Interstate Drive is necessary to provide access to the property by public safety vehicles and equipment; and

WHEREAS, notice of this proposed "No Parking Zone" has been posted in five conspicuous public places in the township for thirty days, namely:

1. Township Administration Building, 9113 Cincinnati Dayton Road
2. Middletown Branch Public Library, 7900 Cox Road
3. Voice Of America, 8070 Tylersville Road
4. West Chester Post Office, 8730 Cincinnati Dayton Road
5. Lakota Local District, Board of Education Office, 5030 Tylersville Road

WHEREAS, notice has been duly published in a newspaper of general circulation in the township;

NOW, THEREFORE, BE IT RESOLVED by the Board of Trustees of the Township of Union (hereinafter called the "Board"), County of Butler, Ohio,

Section 1. That a "No Parking Zone" shall be created along the entire length and both sides of Interstate Drive;

Section 2. That whoever violates this "No Parking Zone" regulation shall be guilty of a minor misdemeanor;

Section 3. That the Board or its designated agent may order into storage any vehicle parked in violation of this parking regulation

Adopted the 28th day of March, 2000

Jose Alvarez Yes
Jose Alvarez,

David Tacosik Yes
David Tacosik,

Catherine Stoker Yes
Catherine Stoker, Township Trustees

Attest: Patricia Williams
Patricia Williams, Township Clerk

Approved as to form: Donald Crain
Donald Crain, Law Director

March 14, 2000	First Reading

Date	

Date	Emergency Reading
March 28, 2000	Second Reading

Date	
<u>April 3, 2000 Journal News</u>	First Publication
Date and Newspaper	(After Approval)
<u>April 5, 2000 Pulse Journal</u>	

<u>April 10, 2000 Journal News</u>	Second Publication
Date and Newspaper	(After Approval)
<u>April 12, 2000 Pulse Journal</u>	

<u>Patricia Williams, 4/18/00</u>	Certificate of Publication
Clerk Signature & Date	



4665 Interstate Dr.
Cincinnati, Ohio 45246
(513) 874 2600
Fax (513) 874 8755

I SUPPORT THE PROPOSED "NO PARKING ZONE" ON INTERSTATE DRIVE.

NAME

COMPANY NAME & ADDRESS

Tim Crowe	Tim Crowe	OKI Systems	4665 Interstate Dr.
Larry Bragg	American Dairy	4648 Interstate Dr.	
Rick Horst	CENTURY MAINTENANCE supply	4642 INTERSTATE DR.	
Shane Anderson	Specialty Products & Ins.	4638 Interstate Dr	
Eric Henry	M A Follos	4630 Int. Dr	
Chad Ward	XEROX BUSINESS SERVICES	4622 INT. DR.	
Kam Patton	CARUSO, INC.	4621 Interstate Dr	
Jennifer Colyer	Breckenridge Co	4612 Interstate Dr.	
Quinn	TWINS WHOLESALE	4610 Interstate Dr	
Scott Roberts	Krupp Bilstein of Am.	4690 Interstate Dr.	
Rita Koury	FLORIAN INC	4710A INTERSTATE DR.	
Juan Morales	Ohio Office Equipment	4710A Interstate	
David R	Uniforms To You	4710A Interstate	
Misti Davis	Env Control	4710K Interstate Cincy, Oh. 45246	
Janet Rowley	Tri-State Office Supplies	4710R INTERSTATE DR.	
Bob S	Rock Sources Inc	4722 H Interstate Dr.	
JTB	Metal Express	4722 F Interstate Dr	
Kelly Michini	F.A. Tech Corp.	4722C Interstate Dr.	



4665 Interstate Dr.
Cincinnati, Ohio 45246
(513) 874 2600
Fax (513) 874 8755

I SUPPORT THE PROPOSED "NO PARKING ZONE" ON INTERSTATE DRIVE.

NAME

COMPANY NAME & ADDRESS

[Signature]
HEULE TOOL

[Signature]
MAR. CLARE INC.

[Signature]
Chas. Levy 4709 Interstate Dr.

[Signature]
Schenck Industrial Group

[Signature]
SPECOM Corp Rental 4740A Interstate Dr.

[Signature]
Hardware Spec. 4740-E Interstate Dr.

[Signature]
Frank W. Schneider 4740 J

[Signature]
TRI-STATE ^{4751 INTERSTATE} COMPUTER EXCHANGE Interstate

RESOLUTION NO. _____

WHEREAS, a request has been made to this Board that the statutory vehicular speed limit established by Sec. 4511.21, Revised Code of Ohio is greater (or less) than that considered reasonable and

safe on Rialto Road between S.R.747
and Port Union Rialto Road and

WHEREAS, this Board has caused to be made an engineering and traffic investigation upon the section of road described above, and

WHEREAS, it is the belief of this Board that such investigation confirms the allegation that the statutory speed limit of 55 mph is unrealistic,

NOW THEREFORE, BE IT RESOLVED by the Board of Union Township Trustees of Butler County, Ohio, that:

Section 1. By virtue of the provisions of Sec. 4511.21, Revised Code of Ohio, the Director of Highways is hereby requested to review the engineering and traffic investigation and to determine and declare a reasonable and safe prima facie speed limit on Rialto road between S.R.747 and Port Union Rialto Road in Butler County, Ohio.

Section 2. That when this Board is advised that the Director of Highways has determined and declared a reasonable and safe speed limit on the section of road described in Section 1 hereof, standard signs, properly posted and giving notice thereof will be erected.

Passed this day of 19 .

TRUSTEES

VOTING

ATTEST:

Clerk of the Board

Journal Volume Page

COPY

SPEED STUDY



COPY

TRAFFIC COUNT: 3,574 VEHICLES/DAY

COPY


SPEED STUDY DATA SHEET

Date 2-23-00 County BUTLER Highway Name RIALTO RD. Route Number T-128

Jurisdiction UNION TWP.

Street Classification _____

Indicate North



Log Point	* * *	* * *	* * *	Physical Conditions	* * *	* * *	Traffic Control Devices	Speed 85% Pace	Accidents	Test Runs
40								41.75 45.35 33-43 35-45		40
30										40
20										40
10									NO ACCIDENTS	40
00 BELOW STUDY								35.26 43.88 33-43 35-45	NO ACCIDENTS	40

COPY

SPEED STUDY DATA SHEET


Date 2-23-00 County BUTLER Highway Name RIALTO RD. Route Number T-128

Jurisdiction UNION TWP.

Street Classification _____

Indicate North

Log Point	**	*	Physical Conditions				*	**	Traffic Control Devices		Speed		Accidents	Test Runs
			Edge of Berm	Edge of Pavement	Edge of Pavement	Edge of Berm			85% Pace	Pace				
70														
END STUDY														
60														15
50														10
														40
														35



* Intersection Class _____ (See Warrant Sheet)
** Building Type _____

BUTLER CO. ENGINEERS' OFFICE- SPOT SPEED STUDY

RIALTO ROAD

 EAST BOUND

DATE : 2 / 16 / 00 ID REF.# : 938'EAST OF SR 747
 DAY OF WEEK : WEDNESDAY TIME OF STUDY : 1100 - 1300
 VEHICLE TYPE : ALL WEATHER : OVERCAST

POSTED SPEED LIMIT : 55 15TH PERCENTILE : 33.75
 LOWEST RECORDED SPEED : 30 85TH PERCENTILE : 43.88
 HIGHEST RECORDED SPEED : 56 95TH PERCENTILE : 49.38
 AVERAGE : 40.34 STANDARD DEVIATION : 5.250826
 MODE : 40 # OBSERVATIONS : 65
 MEDIAN : 39.68 STANDARD ERROR : .6512848

INTERQUARTILE RANGE : 4.87
 10 MPH PACE RANGE 35 TO 44 WITH 69.23% OF TOTAL
 MEAN : 39.06 TO 41.61 AT 95% CONFIDENCE LEVEL

SPEED	FREQUENCY	PERCENT	CUM.%
30	1	1.54	1.54
31	0	0.00	1.54
32	5	7.69	9.23
33	0	0.00	9.23
34	5	7.69	16.92
35	0	0.00	16.92
36	5	7.69	24.62
37	0	0.00	24.62
38	7	10.77	35.38
39	0	0.00	35.38
40	14	21.54	56.92
41	0	0.00	56.92
42	13	20.00	76.92
43	0	0.00	76.92
44	6	9.23	86.15
45	0	0.00	86.15
46	2	3.08	89.23
47	0	0.00	89.23
48	3	4.62	93.85
49	0	0.00	93.85
50	2	3.08	96.92
51	0	0.00	96.92
52	0	0.00	96.92
53	0	0.00	96.92
54	1	1.54	98.46
55	0	0.00	98.46
56	1	1.54	100.00

COPY

BUTLER CO. ENGINEERS' OFFICE- SPOT SPEED STUDY

RIALTO ROAD

 WEST BOUND

DATE : 2 / 16 / 00 ID REF.# : 938' EAST OF SR 747
 DAY OF WEEK : WEDNESDAY TIME OF STUDY : 1100 - 1300
 VEHICLE TYPE : ALL WEATHER : OVERCAST

POSTED SPEED LIMIT : 55 15TH PERCENTILE : 35.26
 LOWEST RECORDED SPEED : 32 85TH PERCENTILE : 45.91
 HIGHEST RECORDED SPEED : 56 95TH PERCENTILE : 51.05
 AVERAGE : 41.09 STANDARD DEVIATION : 5.236972
 MODE : 40 # OBSERVATIONS : 77
 MEDIAN : 39.84 STANDARD ERROR : .5968083

INTERQUARTILE RANGE : 6.40
 10 MPH PACE RANGE 33 TO 42 WITH 68.83% OF TOTAL
 MEAN : 39.92 TO 42.26 AT 95% CONFIDENCE LEVEL

SPEED	FREQUENCY	PERCENT	CUM.%
32	3	3.90	3.90
33	0	0.00	3.90
34	6	7.79	11.69
35	0	0.00	11.69
36	10	12.99	24.68
37	0	0.00	24.68
38	6	7.79	32.47
39	0	0.00	32.47
40	16	20.78	53.25
41	0	0.00	53.25
42	15	19.48	72.73
43	0	0.00	72.73
44	4	5.19	77.92
45	0	0.00	77.92
46	6	7.79	85.71
47	0	0.00	85.71
48	4	5.19	90.91
49	0	0.00	90.91
50	3	3.90	94.81
51	0	0.00	94.81
52	3	3.90	98.70
53	0	0.00	98.70
54	0	0.00	98.70
55	0	0.00	98.70
56	1	1.30	100.00

COPY

BUTLER CO. ENGINEERS' OFFICE- SPOT SPEED STUDY

RIALTO ROAD

EAST BOUND

DATE : 2 / 16 / 00 ID REF.# : 2384'EAST OF SR 747
 DAY OF WEEK : WEDNESDAY TIME OF STUDY : 900 - 1100
 VEHICLE TYPE : ALL WEATHER : OVERCAST

POSTED SPEED LIMIT : 55 15TH PERCENTILE : 37.13
 LOWEST RECORDED SPEED : 30 85TH PERCENTILE : 45.35
 HIGHEST RECORDED SPEED : 54 95TH PERCENTILE : 49.45

AVERAGE : 41.16 STANDARD DEVIATION : 4.782591
 MODE : 40 # OBSERVATIONS : 31
 MEDIAN : 39.72 STANDARD ERROR : .8589787

INTERQUARTILE RANGE : 5.56
 10 MPH PACE RANGE 35 TO 44 WITH 77.42% OF TOTAL
 MEAN : 39.48 TO 42.84 AT 95% CONFIDENCE LEVEL

SPEED	FREQUENCY	PERCENT	CUM.%
30	1	3.23	3.23
31	0	0.00	3.23
32	0	0.00	3.23
33	0	0.00	3.23
34	1	3.23	6.45
35	0	0.00	6.45
36	2	6.45	12.90
37	0	0.00	12.90
38	5	16.13	29.03
39	0	0.00	29.03
40	9	29.03	58.06
41	0	0.00	58.06
42	4	12.90	70.97
43	0	0.00	70.97
44	4	12.90	83.87
45	0	0.00	83.87
46	1	3.23	87.10
47	0	0.00	87.10
48	2	6.45	93.55
49	0	0.00	93.55
50	1	3.23	96.77
51	0	0.00	96.77
52	0	0.00	96.77
53	0	0.00	96.77
54	1	3.23	100.00

COPY

BUTLER CO. ENGINEERS' OFFICE- SPOT SPEED STUDY

RIALTO ROAD
WEST BOUND

DATE : 2 / 16 / 00 ID REF.# : 2384'EAST OF SR 747
DAY OF WEEK : WEDNESDAY TIME OF STUDY : 900 - 1100
VEHICLE TYPE : ALL WEATHER : OVERCAST

POSTED SPEED LIMIT : 55 15TH PERCENTILE : 33.33
LOWEST RECORDED SPEED : 28 85TH PERCENTILE : 41.75
HIGHEST RECORDED SPEED : 46 95TH PERCENTILE : 44.00

AVERAGE : 37.65 STANDARD DEVIATION : 4.481019
MODE : 36 # OBSERVATIONS : 40
MEDIAN : 37.20 STANDARD ERROR : .7085113

INTERQUARTILE RANGE : 5.86
10 MPH PACE RANGE 33 TO 42 WITH 77.50% OF TOTAL
MEAN : 36.26 TO 39.04 AT 95% CONFIDENCE LEVEL

SPEED	FREQUENCY	PERCENT	CUM.%
28	2	5.00	5.00
29	0	0.00	5.00
30	2	5.00	10.00
31	0	0.00	10.00
32	0	0.00	10.00
33	0	0.00	10.00
34	6	15.00	25.00
35	0	0.00	25.00
36	9	22.50	47.50
37	0	0.00	47.50
38	5	12.50	60.00
39	0	0.00	60.00
40	7	17.50	77.50
41	0	0.00	77.50
42	4	10.00	87.50
43	0	0.00	87.50
44	3	7.50	95.00
45	0	0.00	95.00
46	2	5.00	100.00

COPY